Carbohydrate Research, 241 (1993) C9–C11
Elsevier Science Publishers B.V., Amsterdam

CONTENTS

Complex formation between polyols and rare earth cations. The crystal structure of galactitol · $2PrCl_3 \cdot 14\ H_2O$
S.J. Angyal and D.C. Craig (Kensington, N.S.W., Australia) 1

Ethylendiamin–Kupfer(II)-Komplexe mit Polyolat-Ionen aus *rac-trans*-Cyclohexan-1,2-diol, Erythritol und Methyl-α-D-mannopyranosid. Herstellung und Kristallstrukturen von [(Ethylendiamin)$Cu(C_6H_{10}O_2)$] · H_2O, [(μ-Ethylendiamin){Cu_2(Ethylendiamin)$_2$(μ′-*meso*-Butantetraolat(4 −))}] · $8H_2O$ und [(Ethylendiamin)Cu(α-D-Man*p*OMe$H_2^{[2,3]2-}$)] · $2H_2O$
N. Habermann, M. Klaassen und P. Klüfers (Karlsruhe, Deutschland) 9

Carbohydrate interaction with monovalent ions. The effects of Li^+, Na^+, K^+, NH_4^+, Rb^+, and Cs^+ on the solid state and solution structures of D-glucono-1,5-lactone and D-gluconic acid
H.-A. Tajmir-Riahi and J.T. Agbebavi (Quebec, Canada) 25

Inclusion complexes of cyclomaltoheptaose (β-cyclodextrin) and its methylated derivatives with the main components of the pheromone of the olive fruit fly
A. Botsi, K. Yannakopoulou and E. Hadjoudis (Athens, Greece) 37

Second-derivative FTIR spectra of native celluloses from *Valonia* and tunicin
A.J. Michell (Clayton, Australia) 47

Crystal structure of 2,5-anhydro-1-*O*-(*p*-tolylsulfonyl)-D-mannitol
R.J. Voll, T.M. Nguyen, F.R. Fronczek and E.S. Younathan (Baton Rouge, LA, USA) .. 55

The crystal and molecular structure of β-D-fructofuranosyl α-D-xylopyranoside hemihydrate
T. Taga, E. Inagaki, Y. Fujimori, K. Fujita and K. Hara (Kyoto, Yokohama, Japan) 63

4-Homopyrazofurin and an acyclic analogue
D.R. Sauer, S.W. Schneller (Tampa, FL, USA) and B. Gabrielsen (Frederick, MD, USA) 71

Synthesis of glucuronides of α,β-unsaturated carboxylic acids
M. Tanaka, M. Okita and I. Yamatsu (Ibaraki, Japan) 81

Synthesis and X-ray crystallographic structure determination of methyl α-D-galactopyranoside 2,6-bis(sodium sulfate) · $2H_2O$
D. Lamba (Rome, Italy), W. Mackie, A. Rashid, B. Sheldrick and E.A. Yates (Leeds, United Kingdom) 89

A new approach to the chemical synthesis of the trisaccharide, and the terminal di- and mono-saccharide units of the major, serologically active glycoplipid from *Mycobacterium leprae*
A. Borbás and A. Lipták (Debrecen, Hungary) 99

Synthesis of mirror coryno cord factors
H.H. Baer, Y. Shen and X. Wu (Ottawa, ON, Canada) 117

Synthesis and conformational analysis of muramic acid δ-lactam structures and their 4-*O*-(2-acetamido-2-deoxy-β-D-glucopyranosyl) derivatives, characteristic of bacterial spore peptidoglycan
D. Keglević, B. Kojić-Prodić, Z. Banić, S. Tomić and V. Puntarec (Zagreb, Croatia) 131

Iodonium ion-assisted synthesis of a haptenic tetrasaccharide fragment corresponding to the inner cell-wall glycopeptidolipid of *Mycobacterium avium* serotype 4
H.M. Zuurmond, G.H. Veeneman, G.A. Van der Marel and J.H. Van Boom (Leiden, Netherlands) 153

A convenient synthesis of lacto-*N*-biose I [β-D-Gal*p*-(1 → 3)-β-D-Glc*p*NAc] linked oligosaccharides from phenyl *O*-(tetra-*O*-acetyl-β-D-galactopyranosyl)-(1 → 3)-4,6-di-*O*-acetyl-2-deoxy-2-phthalimido-1-thio-β-D-glucopyranoside
R.K. Jain, R.D. Locke and K.L. Matta (Buffalo, NY, USA) 165

Structure of the O-specific polysaccharide of *Salmonella arizonae* O45
A.S. Shashkov, E.V. Vinogradov, Y.A. Knirel, N.E. Nifant'ev, N.K. Kochetkov (Moscow, Russian Federation), J. Dabrowski (Heidelberg, Germany), E.V. Kholodkova and E.S. Stanislavsky (Moscow, Russian Federation) 177

An investigation of the structure of periodate-oxidised dextran
S.N. Drobchenko, L.S. Isaeva-Ivanova, A.R. Kleiner, A.V. Lomakin (Gatchina SPb District, Russian Federation), A.R. Kolker and V.A. Noskin (St. Petersburg, Russian Federation) 189

Structure of the O-specific polysaccharide of the lipopolysaccharide from *Yersinia kristensenii* O:25.35
R.P. Gorshkova, V.V. Isakov, E.L. Nazarenko, Y.S. Ovodov (Vladivostok, Russian Federation), S.V. Guryanova and B.A. Dmitriev (Moscow, Russian Federation) 201

A novel regioselective desulfation of polysaccharide sulfates: Specific 6-*O*-desulfation with *N*,*O*-bis(trimethylsilyl)acetamide
M. Matsuo, R. Takano, K. Kamei-Hayashi and S. Hara (Kyoto, Japan) 209

The gum exudate of *Encephalartos friderici-guilielmi*
D.C. Vogt and A.M. Stephen (Rondebosch, South Africa) 217

Isolation and partial characterisation of the non-cellulosic polysaccharides of flax fibre
G.J. McDougall (Dundee, United Kingdom) 227

End-labelled fluorescent polyguluronate and polymannuronate for the assay of alginate lyases
F.S. Wusteman and P. Gacesa (Cardiff, United Kingdom) 237

Notes

Complexing of cycloinulo-oligosaccharides with metal ions
T. Uchiyama, M. Kawamura, T. Uragami and H. Okuno (Osaka, Japan) 245

Structure elucidation of a novel acidic tetrasaccharide and hexasaccharide derived from a chemically modified heparin
U.R. Desai, H.-m. Wang, T.R. Kelly and R.J. Linhardt (Iowa City, IA, USA) 249

The X-ray crystallographic structures of methyl 2-*O*-methyl-α-D-glucopyranoside and methyl 4,6-*O*-(*S*)-benzylidene-2-*O*-methyl-α-D-galactopyranoside
P. McArdle, D. Cunningham, E. Lee and M. O'Gara (Galway, Ireland) 261

Application of gradient-selective COSY and double-quantum filtered gradient-selective COSY experiments to carbohydrates: 2-deoxy-D-*arabino*-hexose ("2-deoxy-D-glucose")
T.A. Carpenter, L.D. Colebrook, L.D. Hall and G.K. Pierens (Cambridge, United Kingdom) 267

Crystal and molecular structure of 2,3,4-tri-*O*-acetyl-1,5-anhydro-6,7-dideoxy-7-*S*-methyl-6-nitro-7-thio-L-*glycero*-L-*gluco*-heptitol
P. Köll (Oldenbrug, Germany), S. Andreé, K. Peseke (Rostock, Germany) and J. Kopf (Hamburg, Germany) 273

Calorimetric study of the interactions of D-glucose, D-fructose, sucrose, and poly(vinyl alcohol) with borate ions
V. Pollák and J. Mlýnek (Bratislava, Czechoslovakia) 279

^{13}C NMR determination of the distribution of two ester substituents in cellulose acetate butyrate
Y. Tezuka (Niigata, Japan) 285

A convenient synthesis of 1,2,3,4-tetra-*O*-acetyl-α-D-fucopyranose from D-galactose
L.M. Lerner (Brooklyn, NY, USA) 291

An improved synthesis of 4-deoxy-4-fluoro-D-galactopyranosyl derivatives
K. Koch and R.J. Chambers (Groton, CT, USA) 295

Synthesis of plasmalopsychosines A and B, two novel lysosphingolipids found in human brain
K.K. Sadozai, J.K. Anand, E.D. Nudelman and S.-i. Hakomori (Seattle, WA, USA) 301

Structure of the O-specific polysaccharide of *Xanthomonas campestris* NCPPB 45 lipopolysaccharide
A.V. Bukharov, I.M. Skvortsov, V.V. Ignatov (Saratov, Russian Federation), A.S. Shashkov, Y.A. Knirel (Moscow, Russian Federation) and J. Dabrowski (Heidelberg, Germany) 309

Determination of the position of the *O*-acetyl group in a β-(1 → 4)-mannan (acemannan) from *Aloe barbardensis* Miller
S. Manna and B.H. McAnalley (Dallas, TX, USA) 317

Location of a second *O*-acetyl group in xanthan gum by the reductive-cleavage method
J.D. Stankowski, B.E. Mueller and S.G. Zeller (San Diego, CA, USA) 321

Selective deacylation on the glucosyl moiety of octa-*O*-acetylsucrose by enzymic hydrolysis: formation of 2,1′,3′,4′,6′-penta-*O*-acetylsucrose
G.-T. Ong, K.-Y. Chang, S.-H. Wu and K.-T. Wang (Taipei, Taiwan) 327

Announcement C1

Author index C3

Subject index C5

Contents C9